



15176—89

«

15176—89

Extruded tyres made of aluminium and aluminium alloys for electrical technology use
Specifications

18 1121

01.01.91
01.01.93

1.

1.1.


}

1.2.

1.2.1.

. 1

. 1.



1

ik

l?

, 1989

		2		1
3,0	10,0	0,29	10,0	0,079
3,0	15,0	0,44	15,0	0,20
3,0	20,0	0,60	20,0	0,168
3,0	25,0	0,74	25,0	0,201
3,0	30,0	0,89	30,0	0,242
3,0	40,0	1,19	40,0	0,323
3,0	50,0	1,49	50,0	0,404
3,0	60,0	1,79	60,0	0,485
3,0	80,0	2,39	80,0	0,648
3,7	30,0	1,10	30,0	0,298
3,8	25,0	0,94	25,0	0,255
4,0	10,0	0,39	11,0	0,103
4,0	15,0	0,59	16,0	0,160
4,0	20,0	0,79	20,0	0,214
4,0	25,0	0,99	25,0	0,269
4,0	33,0	1,19	20,0	0,323
4,0	35,0	1,39	35,0	0,377
4,0	40,0	1,59	40,0	0,431
4,0	50,0	1,99	50,0	0,540
4,0	60,0	2,39	60,0	0,648
4,0	80,0	3,19	80,0	0,865
4,1	18,0	0,73	18,0	0,198
4,4	18,0	0,78	18,0	0,212
4,5	14,0	0,62	15,0	0,168
4,7	25,0	1,17	26,0	0,316
5,0	20,0	0,99	21,0	0,269
5,0	25,0	1,24	26,0	0,336
5,0	30,0	1,49	30,0	0,404
5,0	35,0	1,74	34,0	0,472
5,0	40,0	1,99	40,0	0,540
5,0	50,0	2,49	50,0	0,675
5,0	60,0	2,99	60,0	0,811
5,0	80,0	3,99	80,0	1,082
5,0	100,0	4,99	100,0	1,353
5,1	25,0	1,25	26,0	0,336
5,5	15,6	0,83	16,0	0,223
5,7	30,0	1,68	31,0	0,451
6,0	20,0	1,17	21,0	0,316
6,0	25,0	1,47	26,0	0,397
6,0	30,0	1,77	31,0	0,478
6,0	40,0	2,37	40,0	0,641
6,0	50,0	2,97	50,0	0,804
6,0	60,0	3,57	60,0	0,966
6,0	80,0	4,77	80,0	1,292
6,0	100,0	5,97	100,0	1,617
6,0	120,0	7,17	120,0	1,942
6,5	35,0	2,24	36,0	0,607
7,0	80,0	5,57	80,0	1,503
7,0	100,0	6,97	103,0	1,888
7,5	147,0	10,99	147,0	2,978

		2		1
8 0	20,0	1,57	22,0	0,424
8,0	25,0	1,97	26,0	0,533
8 0	30 0	2,37	31,0	0,641
8,0	40 0	3,17	41,0	0,858
8,0	50 0	3,97	51,0	1,075
8,0	60,0	4,77	61,0	1,292
8,0	80,0	6,37	80,0	1,725
8,0	9 0,0	7,17	93,0	1,942
8,0	1 0 0	7,97	103 0	2,159
8,0	120,0	9,57	120,0	2,592
8,0	139,0	11,0S	139,0	3,004
8,0	140 0	11,16	140,0	3,026
8,0	160,0	12,77	163,0	3,460
8,5	174,0	14,76	174,0	3,999
8,8	138,0	12,11	138,0	3,282
8,8	140 0	12 9	140,0	3,329
9,0	30,0	2,67	31,0	0,722
9,5	159,0	15,07	159,0	4,084
10,0	20,0	1,97	22,0	0 533
10,0	25,0	2,47	27,0	0,668
10,0	30 0	2,97	32,0	0 834
10,0	40 6	3,97	41,	1,075
10,0	50,0	4,97	51,0	1,346
10,0	6),0	5,97	61,0	1,617
1 0,0	75,0	7,47	76,0	2,023
10,	80,0	7,97	81,0	2,159
10,0	100,0	9,97	101,0	2,701
10,0	120,0	11,97	120,0	3,243
10,0	140 0	13,97	140,0	3,785
100	150,0	14,97	150,0	4,056
10 0	160,0	15,97	16 0,0	4,327
	162,0	16,17	162,0	4,381
11,0	20,0	2,17	22,	0,575
11,0	40,0	3,63	41.0	1,171
12,0	20,0	2,32	23,0	0,629
12,0	25,0	2,92	28,0	0,792
12,0	30 0	3,52	32,0	0,955
12,0	40,1	4,72	42,0	1,280
12,0	50,0	5,92	51,0	1,605
12,0	60,0	7,12	61,0	1,930
12,	80,0	9,52	81,0	2,581
12,0	100 0	11,92	101,0	3,231
12,	3 03,0	12,28	101,0	3,329
120	115,0	13,72	113,0	3,719
12,0	120,0	13,32	121,0	3,881
12 0	13),	15,52	131,0	4,207
12,0	160,0	19,12	160,0	5,182
12,0	165,0	19,72	166,0	5,345
15,1	80,«	11,92	81,0	3,231
15,1	160,0	23,92	158,0	6,483

		« - ,	,	1 .
16,0	40,0	6,32	43,0	1,713
16,0	50,0	7,92	52,0	2,147
20,0	30,0	5,92	32,0	1,605
20,0	60,0	11,92	61,0	3,231
20,0	103,0	19,92	102,0	5,399
20,0	180,0	35,92	180,0	9,735
20,0	203,0	39,92	201,0	10,819
20,0	250,0	49,92	251,0	13,529
23,0	30,0	59,92	301,0	16,239
25,0	6,0	14,86	61,0	4,028
25,0	70,0	17,35	71,0	4,705
25,0	80,0	19,86	84,0	5,383
25,0	200,0	49,86	138,0	13,513
29,0	250,0	72,36	249,0	19,610
30,0	200,0	59,86	198,0	16,223
35,0	70,0	24,29	74,0	6,581
35,0	80,0	27,79	87,0	7,530
35,0	310,0	103,29	312,0	29,345
35,0	350,0	122,29	348,0	33,139
35,0	560,0	125,79	358,0	34,088
40,	330,0	143,79	358,0	38,966
40,0	50	199,79	497,0	54,142
50,0	250,0	124,79	250,0	33,817
50,0	350,0	174,79	348,0	47,367
50,0	360,0	179,45	358,0	48,722
50,0	430,0	214,45	429,0	58,207
50,0	460,0	229,79	456,0	62,272
60,0	200,0	119,45	199,0	32,371
60,0	430,0	257,45	428,0	69,769
70,0	430,0	300,45	428,0	81,422
70,0	515,0	359,95	512,0	97,547
80,0	76,0	60,25	110,0	16,328
110,0	120,0	331,45	163,0	35,623

10

174

7,

1

1.2.2.

1

-

31

5, 5, 6, 7,
31 — 2,71 / 3.

1.2.3.

. 2.

1.2.4.

. 3.

-

	30,0	300 60,0	600 1000	1000 150,0	150,0 2000	200 0 250,0	2500 3000	3000 350 0
3,0	±0,20	±0,25	±0,30	±0,33	±0,35			
3,0 6,0	+0,25	±0,30	±0,35	±0,35	±0,40	±0,45	±0,45	±0,45
» 6,0 > 10,0 >	±0,30	±0,35	+0,40	±0,40	±0,45	±0,50	±0,50	±0,50
» 10,0 » 15,0 >	±0,35	±0,40	±0,45	±0,50	±0,55	±0,55	±0,60	±0,60
> 15,0 » 30,0 >	±0,45	±0,50	±0,50	±0,60	±0,65	±0,65	±0,70	+0,70
> 30,0 > 50,0 >		±0,60	±0,60	±0,70	±0,75	±0,75	±0,80	±0,80
> 50,0 > 75,0 »		±0,70	±0,70	±0,85	+0,85	±0,85	±0,90	+0,90
> 75,0 > 100 00 »		-	±0,85	±0,80	±0,95	+0,95	±1,00	±1,00
» 100,0 » 150,0 >	-	-		±1,10	+1,20	+1,20	±1,30	±1,30
> 150,0 > 200,0 >	-	-	-	-	±1,30	±1,30	±1,40	±1,40
» 200, » 25 0 >		-	-	-	-	±1,60	±1,60	±1,70
> 25(1,0 > 300,0 >		-	-	-	-	-	±1,90	±2,00
» 301,0 > 350,0 >	-	-	-	-	-	-	-	±2,20
» 350,0 > 400,0 >	-	-	-	-	-	-	-	±3,03
> 400,0 > 5(0,0 >								+4,(0

	, R,	, R,	, R
3,0 5,0 . 5,0 » 10,0 » , » 2 ,	1,0 2,0 3,0	. 20,0 30,0 » 30,0 » 50,0 » 50,	4,0 5,0 8,0
1.			-
2.			
1.2.5.		:	
0,8 2; 3 8 —	—		. 0,8
1.5 2; 3 10 —			
1.5 2. 1.2.6.			
1.2.7.	5 .	. 12.5.	-
1.2.8.		12	-
1.2.9.	1200 .		-
1.2.10.		+20 .	-
8617. 1.2.11.		:	
5x60 ,	:	0,	
():	5X60	15176	
	5X60	15176	

;

20

1.4.2.

14192

:

;

;

;

;

1.4.3.

1.5.

1.5.1.

9.011.

2.

2.1.

8617

2.2.

()

;

;

;

;

;

;

;

(

);

;

,

-

2.3.

- -

2.4.

10% ,

- -

2.5.

3% ,

-

2.6.

2% ,

3.

3.1.

8617.

4.

4.1.

9.011.

- 1. -
- 2. 28.06.89
2177
- 3. 15176—84
- 4. -

^ ,	, >
9.011—79	1.5.1; 4.1
4784—74	1.3.1
8617—81	1.2.10; 1.3.6; 2.1; 3.1
11069—74	1.3.1
14192—77	1.4.2
1 92014—76	1 3 1

!!

10 000 . 02 08 89 25 09 89 0,75 0,75 - 0,68 - 5 . .
 « » ,123557 ,6. .859 - : .3
 « » .